

ORPAT[®]

Pallets

Product Catalogue - 2020-21
issu no. - 10022020



www.orpatgroup.com



**Injection
Moulding**

*Save our
Earth
Using*
ORPAT[®] Pallet



**Typical Use -
Racking**



**Used in Warehouse
For Storage-Stacking**

Why ORPAT Pallet ?

- Economical and long lasting
- Sturdy and durable
- Meets the required standard
- Easy to clean & wash
- Consistent quality
- Contamination free
- Recyclable



**Typical Use -
Static**



**Hand Pallet Truck
Use -Dynamic**



■ **Forklift**




■ **Straddle Stacker**



■ **Hand Pallet Truck**

PALLETS INFORMATION CHART

M.NO.	DIMENSION IN MM	WITH STEEL BONE	PALLET ENTRY			APPLICATION				TRUCK			CU.FT/ Pcs	CBM/ Pcs
						STATIC WEIGHT	DYNAMIC WEIGHT	RACKING	STACKING	Size :- 19' x 7.25' x 8' LOAD. QTY	Size :- 32' x 8.25' x 8' LOAD. QTY	BLOCK /PCS		
OP-002	870 X 860 X 140	X	2 WAY	2 WAY	2 WAY	2500	1200	700	X	264	594	2	3.475	0.098
OP-002 B	870 X 860 X 140	X	2 WAY	2 WAY	2 WAY	2000	1000	NA	X	264	594	2	3.475	0.098
OP-005	1120 X 1120 X 140	X	2 WAY	2 WAY	2 WAY	1000	500	NA	X	206	408	2	4.67	0.132
OP-005 B	1120 X 1120 X 140	X	2 WAY	2 WAY	2 WAY	800	400	NA	X	206	408	2	4.67	0.132
OP-006	1200 X 1000 X 140	X	2 WAY	2 WAY	2 WAY	1500	750	NA	X	212	410	2	5.315	0.150
OP-006 B	1200 X 1000 X 140	X	2 WAY	2 WAY	2 WAY	1200	600	NA	X	212	410	2	5.315	0.150
OP-007	1200 X 1000 X 160	X	4 WAY	2 WAY	2 WAY	4500	3000	800	✓	206	384	2	5.081	0.144
OP-007 B	1200 X 1000 X 160	X	4 WAY	2 WAY	2 WAY	3500	2500	NA	✓	206	384	2	5.081	0.144
OP-008	1200 X 800 X 160	X	4 WAY	2 WAY	NA	4000	2000	500	✓	240	446	2	4.236	0.120
OP-008 B	1200 X 800 X 160	X	4 WAY	2 WAY	NA	3200	1600	NA	✓	240	446	2	4.236	0.120
OP-013	1200 X 1000 X 125	X	4 WAY	2 WAY	4 WAY	1000	500	NA	X	256	480	2	4.683	0.133
OP-013 B	1200 X 1000 X 125	X	4 WAY	2 WAY	4 WAY	800	400	NA	X	256	480	2	4.683	0.133
OP-015	1200 X 1000 X 80	X	4 WAY	NA	NA	1000	500	NA	X	376	752	2	2.77	0.078
OP-015 B	1200 X 1000 X 80	X	4 WAY	NA	NA	800	400	NA	X	376	752	2	2.77	0.078
OP-022	1200 X 1000 X 135	X	4 WAY	4 WAY	NA	2000	1000	NA	✓	188	344	1	5.721	0.162
OP-022 B	1200 X 1000 X 135	X	4 WAY	4 WAY	NA	1600	800	NA	✓	188	344	1	5.721	0.162
OP-023	1100 X 1100 X 150	✓	4 WAY	4 WAY	NA	3500	2500	1000	✓	160	296	1	6.41	0.182
OP-023 B	1100 X 1100 X 150	✓	4 WAY	4 WAY	NA	2500	2000	500	✓	160	296	1	6.41	0.182
OP-024	1100 X 1100 X 150	X	4 WAY	4 WAY	NA	2500	1500	NA	✓	160	296	1	6.41	0.182
OP-024 B	1100 X 1100 X 150	X	4 WAY	4 WAY	NA	2000	1200	NA	✓	160	296	1	6.41	0.182
OP-025	1200 X 1000 X 135	X	4 WAY	2 WAY	4 WAY	1200	650	NA	X	516	992	52	1.984	0.056
OP-025 B	1200 X 1000 X 135	X	4 WAY	2 WAY	4 WAY	1000	500	NA	X	516	992	52	1.984	0.056
	WITH SKID		4 WAY	2 WAY	2 WAY									
OP-027	1200 X 800 X 135	X	4 WAY	2 WAY	2 WAY	1500	700	NA	X	646	1257	52	1.588	0.045
OP-027 B	1200 X 800 X 135	X	4 WAY	2 WAY	2 WAY	1000	500	NA	X	646	1257	52	1.588	0.045
	WITH SKID		4 WAY	2 WAY	NA									
OP-029	670 X 660 X 130	X	2 WAY	2 WAY	NA	2000	1000	NA	X	774	1440	2	1.604	0.045
OP-029 B	670 X 660 X 130	X	2 WAY	2 WAY	NA	1500	800	NA	X	774	1440	2	1.604	0.045
OP-030	1200 X 1200 X 170	X	4 WAY	4 WAY	2 WAY	3000	1500	NA	✓	158	316	2	6.258	0.177
OP-030 B	1200 X 1200 X 170	X	4 WAY	4 WAY	2 WAY	2400	1200	NA	✓	158	316	2	6.258	0.177
OP-031	1200 X 1200 X 170	✓	4 WAY	4 WAY	2 WAY	5000	3000	1000	✓	158	316	2	6.258	0.177
OP-031 B	1200 X 1200 X 170	✓	4 WAY	4 WAY	2 WAY	4000	2500	500	✓	158	316	2	6.258	0.177
OP-033	1050 X 1050 X 135	X	4 WAY	4 WAY	NA	1500	750	NA	✓	196	386	1	5.256	0.149
OP-033 B	1050 X 1050 X 135	X	4 WAY	4 WAY	NA	1200	600	NA	✓	196	386	1	5.256	0.149
OP-036 B	1100 X 1100 X 120	X	4 WAY	4 WAY	NA	1500	1100	NA	X	208	380	1	5.128	0.145
OP-037	1050 X 1050 X 120	X	4 WAY	4 WAY	NA	1000	500	NA	X	216	430	1	4.672	0.132
OP-037 B	1050 X 1050 X 120	X	4 WAY	4 WAY	NA	1500	1000	NA	X	216	430	1	4.672	0.132
OP-038	1100 X 1100 X 135	X	4 WAY	2 WAY	4 WAY	1200	500	NA	X	536	972	52	2.001	0.057
OP-038 B	1100 X 1100 X 135	X	4 WAY	2 WAY	4 WAY	1000	400	NA	X	536	972	52	2.001	0.057
	WITH SKID		4 WAY	2 WAY	4 WAY									
OP-039	1100 X 900 X 135	X	4 WAY	2 WAY	4 WAY	1200	500	NA	X	648	1196	52	1.637	0.046
OP-039 B	1100 X 900 X 135	X	4 WAY	2 WAY	4 WAY	1000	400	NA	X	648	1196	52	1.637	0.046
	WITH SKID		4 WAY	2 WAY	4 WAY									
OP-040	1150 X 1150 X 120	X	4 WAY	4 WAY	NA	1200	700	NA	X	280	352	1	5.604	0.159
OP-040 B	1150 X 1150 X 120	X	4 WAY	4 WAY	NA	1500	1000	NA	X	280	352	1	5.604	0.159
OP-041	1200 X 1000 X 160	✓	4 WAY	2 WAY	2 WAY	7000	5000	1000	✓	168	384	2	5.030	0.142
OP-041 B	1200 X 1000 X 160	✓	4 WAY	2 WAY	2 WAY	5500	4000	800	✓	168	384	2	5.030	0.142
OP-042	1200 X 1000 X 160	X	4 WAY	2 WAY	2 WAY	4500	3000	800	✓	168	384	2	5.030	0.142
OP-042 B	1200 X 1000 X 160	X	4 WAY	2 WAY	2 WAY	3500	2500	NA	✓	168	384	2	5.030	0.142



Heavy Duty Pallets

M.No. :- OP-002

Dimension : 870 x 860 x 140mm

Weight : 7.95 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 2500 Kg. Unified Load

Dynamic : 1200 Kg. Unified Load

Racking : 700 Kg. Unified Load

Top Surface : Perforated / 3 Runner

Entry




2-Way



W-680mm
2-Way



2-Way



Heavy Duty Pallets

M.No. :- OP-002 G

Dimension : 870 x 860 x 140mm

Weight : 8.20 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 2500 Kg. Unified Load

Dynamic : 1200 Kg. Unified Load

Racking : 700 Kg. Unified Load

Top Surface : Perforated / 3 Runner

Entry




2-Way



W-680mm
2-Way



2-Way



Export Pallets

M.No. :- OP-002 B

Dimension : 870 x 860 x 140mm

Weight : 8.60 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 2000 Kg. Unified Load

Dynamic : 1000 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 3 Runner

Entry




2-Way



W-680mm
2-Way



2-Way



Medium Duty Pallets

M.No. :- OP-005

Dimension : 1120 x 1120 x 140mm

Weight : 7.15 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 3 Runner

Entry




2-Way



W-680mm
2-Way



2-Way



Medium Duty Pallets

M.No. :- OP-005 G

Dimension : 1120 x 1120 x 140mm

Weight : 7.60 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 3 Runner

Entry




2-Way



W-680mm
2-Way



2-Way



Export Pallets

M.No. :- OP-005 B

Dimension : 1120 x 1120 x 140mm

Weight : 8.75 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 800 Kg. Unified Load

Dynamic : 400 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 3 Runner

Entry




2-Way



W-680mm
2-Way



2-Way



Medium Duty Pallets

M.No. :- OP-006

Dimension : 1200 x 1000 x 140mm

Weight : 10.40 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1500 Kg. Unified Load

Dynamic : 750 Kg. Unified Load

Racking : NA

Top Surface : Plain / 3 Runner

Entry




2-Way



W-680mm
2-Way



2-Way



Medium Duty Pallets

M.No. :- OP-006 G

Dimension : 1200 x 1000 x 140mm

Weight : 10.90 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1500 Kg. Unified Load

Dynamic : 750 Kg. Unified Load

Racking : NA

Top Surface : Plain / 3 Runner

Entry




2-Way



W-680mm
2-Way



2-Way



Export Pallets

M.No. :- OP-006 B

Dimension : 1200 x 1000 x 140mm

Weight : 11.25 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1200 Kg. Unified Load

Dynamic : 600 Kg. Unified Load

Racking : NA

Top Surface : Plain / 3 Runner

Entry




2-Way



W-680mm
2-Way



2-Way



Heavy Duty Pallets

M.No. :- OP-007

Dimension : 1200 x 1000 x 160mm

Weight : 15.40 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 4500 Kg.	Static : 3500 Kg.
Dynamic : 3000 Kg.	Dynamic : 800 Kg.
Racking : 800 Kg.	Racking : 800 Kg.

Entry




4-Way



W:-680mm
2-Way



2-Way



Heavy Duty Pallets

M.No. :- OP-007 G

Dimension : 1200 x 1000 x 160mm

Weight : 16.00 Kg. $\pm$ 5%

Material : PP

Colour : Green

Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 4500 Kg.	Static : 3500 Kg.
Dynamic : 3000 Kg.	Dynamic : 800 Kg.
Racking : 800 Kg.	Racking : 800 Kg.

Entry




4-Way



W:-680mm
2-Way



2-Way



Export Pallets

M.No. :- OP-007 B

Dimension : 1200 x 1000 x 160mm

Weight : 16.50 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 3500 Kg.	Static : 3000 Kg.
Dynamic : 2500 Kg.	Dynamic : 700 Kg.
Racking : NA	Racking : NA

Entry




4-Way



W:-680mm
2-Way



2-Way



Heavy Duty Pallets

M.No. :- OP-008

Dimension : 1200 x 800 x 160mm

Weight : 11.40 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 4000 Kg. Unified Load

Dynamic : 2000 Kg. Unified Load


Racking : 500 Kg. Unified Load

Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 4000 Kg. Unified Load	Static : 3000 Kg. Unified Load
Dynamic : 2000 Kg. Unified Load	Dynamic : 700 Kg. Unified Load
Racking : 500 Kg. Unified Load	Racking : NA

W:-550mm
2-Way

NA



Heavy Duty Pallets

M.No. :- OP-008 G

Dimension : 1200 x 800 x 160mm

Weight : 11.90 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 4000 Kg. Unified Load

Dynamic : 2000 Kg. Unified Load


Racking : 500 Kg. Unified Load

Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 4000 Kg. Unified Load	Static : 3000 Kg. Unified Load
Dynamic : 2000 Kg. Unified Load	Dynamic : 700 Kg. Unified Load
Racking : 500 Kg. Unified Load	Racking : NA

W:-550mm
2-Way

NA



Export Pallets

M.No. :- OP-008 B

Dimension : 1200 x 800 x 160mm

Weight : 12.30 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 3200 Kg. Unified Load

Dynamic : 1600 Kg. Unified Load

Racking : NA


Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 3200 Kg. Unified Load	Static : 3000 Kg. Unified Load
Dynamic : 1600 Kg. Unified Load	Dynamic : 700 Kg. Unified Load
Racking : NA	Racking : NA

W:-550mm
2-Way

NA

* Compulsory Wrapping For Dynamic Load



Medium Duty Pallets

M.No. :- OP-013

Dimension : 1200 x 1000 x 125mm

Weight : 10.80 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA


Top Surface : Plain / 9 Leg

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 1000 Kg. Unified Load	Static : 800 Kg. Unified Load
Dynamic : 500 Kg. Unified Load	Dynamic : 400 Kg. Unified Load
Racking : NA	Racking : NA

W:-680mm
2-Way

4-Way

* Compulsory Wrapping For Dynamic Load



Medium Duty Pallets

M.No. :- OP-013 G

Dimension : 1200 x 1000 x 125mm

Weight : 10.90 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA


Top Surface : Plain / 9 Leg

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 1000 Kg. Unified Load	Static : 800 Kg. Unified Load
Dynamic : 500 Kg. Unified Load	Dynamic : 400 Kg. Unified Load
Racking : NA	Racking : NA

W:-680mm
2-Way

4-Way

* Compulsory Wrapping For Dynamic Load



Export Pallets

M.No. :- OP-013 B

Dimension : 1200 x 1000 x 125mm

Weight : 11.60 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 800 Kg. Unified Load

Dynamic : 400 Kg. Unified Load

Racking : NA


Top Surface : Plain / 9 Leg

IRON BOX (Unified Load)	RESIN BAG (Unified Load)
Static : 800 Kg. Unified Load	Static : 800 Kg. Unified Load
Dynamic : 400 Kg. Unified Load	Dynamic : 400 Kg. Unified Load
Racking : NA	Racking : NA

W:-680mm
2-Way

4-Way

* Compulsory Wrapping For Dynamic Load



Medium Duty Pallets

M.No. :- OP-015

Dimension : 1200 x 1000 x 80mm

Weight : 8.45 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Plain / 9 Leg

Entry



4-Way




NA



NA

* Compulsory Wrapping For Dynamic Load



Medium Duty Pallets

M.No. :- OP-015 G

Dimension : 1200 x 1000 x 80mm

Weight : 8.60 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Plain / 9 Leg

Entry



4-Way




NA



NA

* Compulsory Wrapping For Dynamic Load



Export Pallets

M.No. :- OP-015 B

Dimension : 1200 x 1000 x 80mm

Weight : 9.10 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 800 Kg. Unified Load

Dynamic : 400 Kg. Unified Load

Racking : NA

Top Surface : Plain / 9 Leg

Entry




4-Way



NA



NA



Medium Duty & Export Pallets

M.No. :- OP-022

Dimension : 1200 x 1000 x 135mm

Weight : 8.50 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 2000 Kg. Unified Load

Dynamic : 1000 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry




4-Way



W-680mm



NA



Medium Duty & Export Pallets

M.No. :- OP-022 G

Dimension : 1200 x 1000 x 135mm

Weight : 8.60 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 2000 Kg. Unified Load

Dynamic : 1000 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry




4-Way



W-680mm



NA



Export Pallets

M.No. :- OP-022 B

Dimension : 1200 x 1000 x 135mm

Weight : 9.20 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1600 Kg. Unified Load

Dynamic : 800 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry




4-Way



W-680mm



NA



Heavy Duty Pallets

M.No. :- OP-023

Dimension : 1100 x 1100 x 150mm

Weight : 19.10 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 3500 Kg. Unified Load

Dynamic : 2500 Kg. Unified Load

Racking : 1000 Kg. Unified Load

Top Surface : Perforated / 6 Runner

Entry




4-Way



W-680mm



NA



Heavy Duty Pallets

M.No. :- OP-023 G

Dimension : 1100 x 1100 x 150mm

Weight : 20.10 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 3500 Kg. Unified Load

Dynamic : 2500 Kg. Unified Load

Racking : 1000 Kg. Unified Load

Top Surface : Perforated / 6 Runner

Entry




4-Way



W-680mm



NA



Export Pallets

M.No. :- OP-023 B

Dimension : 1100 x 1100 x 150mm

Weight : 20.60 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 2500 Kg. Unified Load

Dynamic : 2000 Kg. Unified Load

Racking : 500 Kg. Unified Load

Top Surface : Perforated / 6 Runner

Entry




4-Way



W-680mm



NA



Heavy Duty Pallets

M.No. :- OP-024

Dimension : 1100 x 1100 x 150mm

Weight : 13.40 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 2500 Kg. Unified Load

Dynamic : 1500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry




4-Way



4-Way



NA



Heavy Duty Pallets

M.No. :- OP-024 G

Dimension : 1100 x 1100 x 150mm

Weight : 14.00 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 2500 Kg. Unified Load

Dynamic : 1500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry




4-Way



4-Way



NA



Export Pallets

M.No. :- OP-024 B

Dimension : 1100 x 1100 x 150mm

Weight : 14.50 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 2000 Kg. Unified Load

Dynamic : 1200 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry



4-Way




4-Way



NA

* Compulsory Wrapping For Dynamic Load



Export Pallets

M.No. :- OP-025

Dimension : 1200 x 1000 x 135mm

Weight : 6.10 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1200 Kg. Unified Load

Dynamic : 650 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




2-Way



4-Way

* Compulsory Wrapping For Dynamic Load



Export Pallets

M.No. :- OP-025 G

Dimension : 1200 x 1000 x 135mm

Weight : 6.40 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1200 Kg. Unified Load

Dynamic : 650 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




2-Way



4-Way

* Compulsory Wrapping For Dynamic Load



Export Pallets

M.No. :- OP-025 B

Dimension : 1200 x 1000 x 135mm

Weight : 6.60 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




2-Way



4-Way

* Compulsory Wrapping For Dynamic Load



Export Pallets

M.No. :- OP-027

Dimension : 1200 x 800 x 135mm

Weight : 4.60 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1500 Kg. Unified Load

Dynamic : 700 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




2-Way



2-Way

* Compulsory Wrapping For Dynamic Load



Export Pallets

M.No. :- OP-027 G

Dimension : 1200 x 800 x 135mm

Weight : 4.80 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1500 Kg. Unified Load

Dynamic : 700 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




2-Way



2-Way

* Compulsory Wrapping For Dynamic Load



Export Pallets

M.No. :- OP-027 B

Dimension : 1200 x 800 x 135mm

Weight : 5.00 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry




4-Way



2-Way



2-Way



Ceramic Pallets

M.No. :- OP-029

Dimension : 670 x 660 x 130mm

Weight : 5.00 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 2000 Kg. Unified Load

Dynamic : 1000 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 3 Runner

Entry




2-Way



W-550mm
2-Way



NA



Ceramic Pallet

M.No. :- OP-029 G

Dimension : 670 x 660 x 130mm

Weight : 5.30 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 2000 Kg. Unified Load

Dynamic : 1000 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 3 Runner

Entry




2-Way



W-550mm
2-Way



NA



Export Pallet

M.No. :- OP-029 B

Dimension : 670 x 660 x 130mm

Weight : 5.40 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1500 Kg. Unified Load

Dynamic : 800 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 3 Runner

Entry




2-Way



W-550mm
2-Way



NA



Heavy Duty Pallets

M.No. :- OP-030

Dimension : 1200 x 1200 x 170mm

Weight : 19.85 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 3000 Kg. Unified Load

Dynamic : 1500 Kg. Unified Load

Racking : NA

Top Surface : Plain / 3 Runner

Entry




4-Way



W-680mm
4-Way



2-Way



Heavy Duty Pallets

M.No. :- OP-030 G

Dimension : 1200 x 1200 x 170mm

Weight : 20.35 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 3000 Kg. Unified Load

Dynamic : 1500 Kg. Unified Load

Racking : NA

Top Surface : Plain / 3 Runner

Entry




4-Way



W-680mm
4-Way



2-Way



Export Pallets

M.No. :- OP-030 B

Dimension : 1200 x 1200 x 170mm

Weight : 21.50 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 2400 Kg. Unified Load

Dynamic : 1200 Kg. Unified Load

Racking : NA

Top Surface : Plain / 3 Runner

Entry




4-Way



W-680mm
4-Way



2-Way



Heavy Duty Pallets

M.No. :- OP-031

Dimension : 1200 x 1200 x 170mm

Weight : 25.40 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 5000 Kg. Unified Load

Dynamic : 3000 Kg. Unified Load

Racking : 1000 Kg. Unified Load

Top Surface : Plain / 3 Runner

Entry




4-Way



W-680mm
4-Way



2-Way



Heavy Duty Pallets

M.No. :- OP-031 G

Dimension : 1200 x 1200 x 170mm

Weight : 26.20 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 5000 Kg. Unified Load

Dynamic : 3000 Kg. Unified Load

Racking : 1000 Kg. Unified Load

Top Surface : Plain / 3 Runner

Entry




4-Way



W-680mm
4-Way



2-Way



Export Pallets

M.No. :- OP-031 B

Dimension : 1200 x 1200 x 170mm

Weight : 27.40 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 4000 Kg. Unified Load

Dynamic : 2500 Kg. Unified Load

Racking : 500

Top Surface : Plain / 3 Runner

Entry




4-Way



W-680mm
4-Way



2-Way



Export Pallets

M.No. :- OP-033

Dimension : 1050 x 1050 x 135mm

Weight : 7.20 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1500 Kg. Unified Load

Dynamic : 750 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry




4-Way



W:-550mm



NA



Export Pallets

M.No. :- OP-033 G

Dimension : 1050 x 1050 x 135mm

Weight : 7.50 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1500 Kg. Unified Load

Dynamic : 750 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry




4-Way



W:-550mm



NA



Export Pallets

M.No. :- OP-033 B

Dimension : 1050 x 1050 x 135mm

Weight : 7.80 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1200 Kg. Unified Load

Dynamic : 600 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry



4-Way





W:-550mm



NA

Injection Molded, Recycle PP, Perforated Double Deck, full perimeter 6-Runner, 4-way entry, non-reversible, one-way application pallet. Load Bearing Capacity : Static Load : on ground floor UDL 2000 kg. for light weight products; Dynamic Load UDL 1000 kg; for light weight products. Racking – not applicable. MHE & HPT : Wider HPT with width over fork of 685mm recommended for floor use. Forklift Width over Fork Distance should be ideally 700mm.



Export Pallets

M.No. :- OP-036 B

Dimension : 1100 x 1100 x 120mm

Weight : 6.70 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1500 Kg. Unified Load

Dynamic : 1100 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry



4-Way




W:-680mm



NA

Standard Features :

- Stackable Pallet in Sea Freight containers & floor use for light weight products.
- Stretch Wrap ribs – add tamper evidence to stretch wrap. You can't remove & re-fit stretch wrap, Ribs would tear it while removing.
- Safety Belt hook – Use Strapping belt to make NON-UDL load as UDL load, enhance safety of your product. Enhance Stacking stability during prolonged storage & multiple handling.
- PP Strapping Slot – We recommend low cost PP strapping for small cartons crates, small PET//Glass bottles. Separators & top cap available on request. The in-built provision of PP strapping slot enables multiple handling of these light weight manifold numbers. Small objects do not fall-off the pallet during handling or with little jerk or light hit.
- Top Deck perforation designed anti-slip for products & pallet do not slip off from forks due to special design anti-skid grommets.



Medium Duty Pallet

M.No. :- OP-037

Dimension : 1050 x 1050 x 120mm

Weight : 5.75 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry




4-Way



W:-680mm



NA



Medium Duty Pallet

M.No. :- OP-037 G

Dimension : 1050 x 1050 x 120mm

Weight : 6.00 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1000 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry




4-Way



W:-680mm



NA



Export Pallet

M.No. :- OP-037 B

Dimension : 1050 x 1050 x 120mm

Weight : 6.60 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1500 Kg. Unified Load

Dynamic : 1000 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry



4-Way




W:-680mm



NA

* Compulsory Wrapping For Dynamic Load



Nastable Medium Duty Pallets

M.No. :- OP-038

Dimension : 1100 x 1100 x 135mm

Weight : 5.45 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1200 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




W-680mm
2-Way



4-Way

* Compulsory Wrapping For Dynamic Load



Nastable Medium Duty Pallets

M.No. :- OP-038 G

Dimension : 1100 x 1100 x 135mm

Weight : 5.70 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1200 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




W-680mm
2-Way



4-Way

* Compulsory Wrapping For Dynamic Load



Nastable Export Pallets

M.No. :- OP-038 B

Dimension : 1100 x 1100 x 135mm

Weight : 5.90 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1000 Kg. Unified Load

Dynamic : 400 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




W-680mm
2-Way



4-Way

* Compulsory Wrapping For Dynamic Load



Nastable Medium Duty Pallets

M.No. :- OP-039

Dimension : 1100 x 900 x 135mm

Weight : 4.20 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1200 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




W-550mm
2-Way



4-Way

* Compulsory Wrapping For Dynamic Load



Nastable Medium Duty Pallets

M.No. :- OP-039 G

Dimension : 1100 x 900 x 135mm

Weight : 4.60 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1200 Kg. Unified Load

Dynamic : 500 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




W-550mm
2-Way



4-Way

* Compulsory Wrapping For Dynamic Load



Nastable Export Pallets

M.No. :- OP-039 B

Dimension : 1100 x 900 x 135mm

Weight : 4.80 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1000 Kg. Unified Load

Dynamic : 400 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 9 Leg

Entry



4-Way




W-550mm
2-Way



4-Way

Coming Soon...



Export Pallets

M.No. :- OP-040

Dimension : 1150 x 1150 x 120mm

Weight : 7.95 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 1200 Kg. Unified Load

Dynamic : 700 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry



4-Way




W-680mm
4-Way



NA

Coming Soon...



Export Pallets

M.No. :- OP-040 G

Dimension : 1150 x 1150 x 120mm

Weight : 8.35 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 1200 Kg. Unified Load

Dynamic : 700 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry



4-Way




W-680mm
4-Way



NA

Coming Soon...



Export Pallets

M.No. :- OP-040 B

Dimension : 1150 x 1150 x 120mm

Weight : 8.60 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 1500 Kg. Unified Load

Dynamic : 1000 Kg. Unified Load

Racking : NA

Top Surface : Perforated / 6 Runner

Entry



4-Way



W-680mm
4-Way



NA

Coming Soon...



Heavy Duty Pallets

M.No. :- OP-041

Dimension : 1200 x 1000 x 160mm

Weight : 19.10 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Static : 7000 Kg. Unified Load

Dynamic : 5000 Kg. Unified Load

Racking : 1000 Kg. Unified Load

Top Surface : Perforated / 3 Runner

Entry



4-Way



W:-680mm



2-Way

Coming Soon...



Heavy Duty Pallets

M.No. :- OP-041 G

Dimension : 1200 x 1000 x 160mm

Weight : 19.80 Kg. $\pm$ 5%

Material : PP

Colour : Green

Static : 7000 Kg. Unified Load

Dynamic : 5000 Kg. Unified Load

Racking : 1000 Kg. Unified Load

Top Surface : Perforated / 3 Runner

Entry



4-Way



W:-680mm



2-Way

Coming Soon...



Export Pallets

M.No. :- OP-041 B

Dimension : 1200 x 1000 x 160mm

Weight : 20.60 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

Static : 5500 Kg. Unified Load

Dynamic : 4000 Kg. Unified Load

Racking : 800 Kg. Unified Load

Top Surface : Perforated / 3 Runner

Entry



4-Way




W:-680mm



2-Way

Coming Soon...



Heavy Duty Pallets

M.No. :- OP-042

Dimension : 1200 x 1000 x 160mm

Weight : 14.10 Kg. $\pm$ 5%

Material : HDPE

Colour : Blue

Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)

RESIN BAG (Unified Load)

Static : 4500 Kg.

Dynamic : 3000 Kg.

Racking : 800 Kg.

Static : 4500 Kg.

Dynamic : 1500 Kg.

Racking : 800 Kg.

Entry



4-Way




W:-680mm



2-Way

Coming Soon...



Heavy Duty Pallets

M.No. :- OP-042 G

Dimension : 1200 x 1000 x 160mm

Weight : 14.80 Kg. $\pm$ 5%

Material : PP

Colour : Green

Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)

RESIN BAG (Unified Load)

Static : 4500 Kg.

Dynamic : 3000 Kg.

Racking : 800 Kg.

Static : 4500 Kg.

Dynamic : 1500 Kg.

Racking : 800 Kg.

Entry



4-Way




W:-680mm



2-Way

Coming Soon...



Export Pallets

M.No. :- OP-042 B

Dimension : 1200 x 1000 x 160mm

Weight : 15.25 Kg. $\pm$ 5%

Material : PP

Colour : Green

Top Surface : Perforated / 3 Runner

IRON BOX (Unified Load)

RESIN BAG (Unified Load)

Static : 3500 Kg.

Dynamic : 2500 Kg.

Racking : NA

Static : 3500 Kg.

Dynamic : 1200 Kg.

Racking : NA

Entry



4-Way



W:-680mm



2-Way

With Skid Pallets



Skid

Skids are used for racking the pallets and dissociate to decrease the volume. It is also very economical for transportation.

M.No. :- OSK-001

Dimension : 1185 x 105 x 40mm

Weight : 0.57 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black

With Skid Pallets



Skid

Skids are used for racking the pallets and dissociate to decrease the volume. It is also very economical for transportation.



M.No. :- OSK-002

Dimension : 1135 x 105 x 40mm

Weight : 0.55 Kg. $\pm$ 5%

Material : PP PROCESS

Colour : Black



There are Two Types of Hand Pallet Trucks Available
(1.) Width :- 680mm (2.) Width :- 550mm
NOTE :- Please Use Hand Pallet Trucks Accordingly

SKIDS AVAILABLE FOR :- M. NO.
OP-025, OP-027,

SKIDS AVAILABLE FOR :- M. NO.
OP-038, OP-39

PALLET USAGE General Rules

ORPAT Pallet have been tested to international standards. It must be handled by proper methods to avoid undesirable consequences. Please use the pallet within the stipulated General Rules stated below:

Pallet are designed only for the handling, storage and distribution of well packed goods. Please use accordingly

Never exceed the maximum load specifications of the pallets.

Pallet are made from thermo-plastic resin. Never place them close to fire, heater, strong acids or solvent.

Pallet become more brittle and slippery in cold room condition. Please use with care.

Most pallet are equipped with anti-slip rubber. However, please pay special attention when handling in wet or oily conditions as the pallet may be slippery.

Do not modify the shape of the pallet to prevent the reduction of strength.



Do not push loaded pallet on the floor, road or lorry; always lift it up before moving.

Do not hit pallet edges using forklift forks even though pallet is empty.

Do not throw or drop pallet

Fork must be fully inserted into Pallet before lifting it.

Always distribute goods evenly in cross-stacked manner over the pallet surface



Ajanta LLP (ORPAT Group)

Orpat Industrial Estate, Rajkot Highway, Morbi - 363 641, Gujarat (INDIA).

Ph. : 02822 - 663333, 391100 /11, 231444 /45 /46

Mob. : +91 - 98790 88347 • Email : palletsandcrates@orpatgroup.com

Visit us at : www.orpatgroup.com

Although every efforts has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications and performance data are constantly changing current details should therefore be checked with Orpat Group